

- additive tree structure, 10-35
 - ADDTREE, 10-79
 - EXTREE, 10-40
 - four point condition, 10-40
 - R, 10-82
- ADDTREE, 10-35, 10-79, 10-82
- addtree
 - R, 10-92
- adjusted R^2 , 8-7
- ALSCAL, 10-76
- ANCOVA, 9-1
 - assumptions, 9-5
 - example, 9-7
 - MANOVA syntax, 9-11
 - propensity scores, 9-26
- ANOVA
 - assumptions, 3-11, 4-8
 - paired t test, 5-28
 - random effects, 5-6
 - repeated measures, 5-28
 - Bonferroni, 3-8
 - coding, 4-59
 - contrasts, 3-1
 - degrees of freedom, 2-7
 - factorial, 4-1, 4-8
 - fixed effects, 2-1
 - interaction, 4-17
 - latin square, 4-6
 - multiple comparisons, 3-7, 4-12
 - multivariate, 5-31
 - nested designs, 5-14
 - omnibus test, 2-10
 - one way, 2-1
 - percent variance, 2-12
 - plots, 4-18
 - power, 2-10
 - random effects, 5-5, 5-7
 - randomized block, 4-2
 - regression, 8-19
 - repeated measures, 5-19, 12-1
 - residual, 2-8
 - simple interaction effects, 5-46
 - simple main effects, 5-46
 - source table
 - latin square, 4-37
 - one way, 2-7
 - randomized block, 4-4
 - structural model
 - factorial, 4-1, 4-8
 - latin square, 4-7
 - one way, 2-3
 - randomized block, 4-4
 - repeated measures, 5-23
 - unequal sample size, 5-2
 - variance decomposition
 - factorial, 4-1, 4-8
 - latin square, 4-7
 - one way, 2-5
 - randomized block, 4-4
- assumptions
 - ANCOVA, 9-5
 - ANOVA, 3-11
 - boxplots, 2-14, 2-18
 - checking, 3-11
 - equal variance, 2-14
 - factorial ANOVA, 4-8
 - Hartley test, 1-16
 - interaction & transformations, 4-27
 - latin square design, 4-7
 - Levene test, 1-16
 - measurement issues, 1-29
 - normality, 2-19
 - normal-normal plot, 2-19
 - quantile-quantile plot, 2-19
 - paired t test, 5-28
 - PCA, 11-62
 - random effects model, 5-6
 - randomized block design, 4-7

- regression, 6-20
 - repeated measures, 5-28
 - compound symmetry, 5-29
 - sphericity, 5-29, 5-32
 - residuals, 7-1
 - spread and level, 2-17
 - t test, 1-13
 - transformations, 2-15
 - violations, 1-19
- autoencoder, 11-106
- basic definitions, 1-3
- big picture, 9-15
- binary data, 9-16
- biplot, 10-60, 11-4
- bivariate normal, 6-1
- bonehead, 3-9
- Bonferroni, 3-8
- Box & Cox transformation, 2-18
- boxplots, 1-14, 2-14, 2-18
- canonical correlation, 12-29
 - iterative technique, 12-40
 - nonlinear, 12-45
- CART, 10-60
 - R, 10-95
- centering, 8-16
- central limit theorem, 1-4
- classification and regression tree, 10-60
- cluster
 - classification and tree, 10-60
 - mixture models, 10-75
- coding factorial ANOVA, 4-59
- communalities, 11-53
- compound symmetry, 5-29
- confidence interval, 1-7
- constant variance assumption
 - regression, 7-6
- contrast coding, 8-29
- contrasts, 3-1
 - Bonferroni, 3-8
 - correlations, 6-12
 - effect size, 4-15
 - example, 3-32
 - factorial ANOVA, 4-13
 - general method, 12-1
 - multiplicity problem, 3-35
 - orthogonality, 3-3
 - polynomial contrasts, 3-5
 - power, 3-14
 - Scheffe test, 3-20
 - simple interaction effects, 5-46
 - simple main effects, 5-46
 - sum of squares, 3-5
 - uniqueness, 3-38
- Cook's D, 7-12
- corner inequality, 10-51
- correction for attenuation, 13-14
- correlation
 - contrasts, 6-12
- correlation coefficient, 6-1, 6-6
 - hypothesis test, 6-7
 - nonparametric, 6-13
- Correspondence Analysis, 10-60
- covariance, 6-1
- covariance algebra, 13-1
- Cronbach's α , 13-15
- deep thoughts, 9-30
- degrees of freedom
 - ANOVA, 2-7
- diagonal matrix, 11-102
- dichotomization, 8-35
- dot product, 11-94
- dummy coding, 8-19
- Duncan's test, 3-22
- effect size
 - contrasts, 4-15

- effects coding, 8-19
- eigenvalue, 11-105
- eigenvalues, 11-19
- eigenvector, 11-105
- eigenvectors, 11-19
- excel
 - F value, 2-9
 - t value, 1-6
- expected mean square
 - factorial, 4-26
 - one way ANOVA, 2-8
 - random effects model, 5-6
 - repeated measures, 5-23
- experimental approach, 5-2
- exploratory data analysis, 1-14
- EXTREE, 10-40
- F distribution, 2-9
- factor analysis, 11-84
 - diagonal, 11-84
 - matrix input, 11-91
 - reliability, 11-84
 - SEM, 13-58
- factor scores, 11-35
- factorial ANOVA, 4-1, 4-8
 - interaction, 4-17
 - R, 4-58
 - simple interaction effect, 5-46
 - simple main effect, 5-46
- factorial design
 - regression, 8-30
- false discover rate, 3-23
- Fisher r-to-Z, 6-9
- Fisher's LSD test, 3-22
- Fisher's r-to-Z transformation, 6-7
- flow chart, 3-24
- four point condition, 10-40
- generalized additive model, 9-30
- generalized linear model, 9-29
- GFI, 13-74
- Greenhouse and Geisser, 5-31
- Hartley test, 1-16
- hierarchical approach, 5-2
- hierarchical clustering, 10-41
 - ultrametric condition, 10-41
- Huyndt and Feldt, 5-31
- ICA, 11-78
- identity matrix, 11-102
- increment in R^2 , 7-21, 8-34
- Independent components analysis, 11-78
- INDSCAL, 10-29, 10-76
- indscal
 - R, 10-86
- Instrumental Variables, 13-36
- Instrumental variables, 13-36
- interaction, 4-17
 - regressions, 8-14
- intercept, 6-14
 - hypothesis test, 6-19
- interquartile range, 1-4
- IQR, 1-4
- k-means clustering
 - SPSS, 10-51
- kludge, 6-32
- kmeans clustering
 - R, 10-53
- Kruskal-Wallis test, 3-12
- Lasso, 11-54
- latent Dirichley allocation, 11-71
- latent semantic analysis, 11-67
- latin square, 4-6
 - coding data, 4-37
 - source table, 4-37
 - structural model, 4-7
 - variance decomposition, 4-7

- LDA, 11-71
- least squares, 6-15
- Levene test, 1-16
- linear algebra, 11-93
 - diagonal matrix, 11-102
 - eigenvalue, 11-105
 - eigenvalues, 11-19
 - eigenvector, 11-105
 - eigenvectors, 11-19
 - matrix, 11-94
 - matrix inverse, 11-97
 - projection, 11-100
 - rotation, 11-104
 - spectral decomposition, 11-21, 11-105
 - transposition, 11-97
 - vector, 11-93
- logistic regression, 9-16
 - examples, 9-22
 - propensity scores, 9-26
- LSA, 11-67
- machine learninn
 - Shapley value, 10-73
 - XGBoost, 10-73
- Mann-Whitney U test, 1-21
- MANOVA, 12-4, 12-5
 - syntax, 12-48
- matrix, 11-94
 - diagonal, 11-102
 - eigenvalue, 11-105
 - eigenvector, 11-105
 - identity, 11-102
 - projection, 11-100
 - rotation, 11-104
 - spectral decomposition, 11-105
 - symmetric, 11-102
- matrix input into SPSS, 11-22
- matrix inverse, 11-97
- McClelland & Judd, 8-18
- MDS
 - R, 10-82
- means, 1-3
 - plots, 4-18
- measurement issues, 1-29
- median, 1-3
- median split, 8-35
- Mediation, 13-44
- metric axioms, 10-10
- Minkowski distance metric, 10-12
- missing value code, 6-31
- misspecified model, 9-2
- mixture models, 10-75
- monotonic regression, 10-16
- multicollinearity, 8-8, 8-16
 - example, 8-9
 - remedial measures, 8-14
 - SPSS syntax
 - zpp, 8-13
- multidimensional unfolding
 - model, 11-13
- multidimensional scaling, 10-1
 - ALSCAL, 10-76
 - corner inequality, 10-51
 - INDSCAL, 10-29, 10-76
 - metric axioms, 10-10
 - Minkowski distance metric, 10-12
 - monotonic regression, 10-16
 - rotation, 10-24
 - stress, 10-14
- multidimensional unfolding, 11-11
- multilevel model, 5-44
- multiple comparisons, 3-7
 - Bonferroni, 3-8
 - contrasts, 3-35
 - factorial, 4-12
 - flow chart, 3-24
 - post hoc comparisons, 3-16
 - snooping, 3-16
- multiple regression, 7-18

- Multivariate ANOVA, 12-4
- multivariate ANOVA, 5-31
- nested designs, 5-14
- Newman-Keuls test, 3-20
- nonlinear canonical correlation, 12-45
- nonparametric
 - Kruskal-Wallis, 3-12
 - Spearman's ρ , 6-13
- normal probability plot, 2-19
- normal-normal plot, 2-19
- omnibus test, 2-10
- one sample t test, 1-7
- origin, 6-18
- orthogonality, 3-3
- outliers, 7-7
 - Cook's D, 7-12
- paired t test, 5-20
- part correlation, 8-4
- partial correlation, 8-5, 13-8
- partial least squares (PLS), 12-46
- PCA
 - autoencoder, 11-106
 - communalities, 11-53
- percent variance, 2-12
- plotting means, 4-18
- PLS, 12-46
- polynomial regression, 8-1
- pooled error term, 1-11
- post hoc comparisons, 3-16
 - Duncan's test, 3-22
 - example, 3-36
 - factorial, 4-14
 - Fisher's LSD test, 3-22
 - flow chart, 3-24
 - Newman-Keuls test, 3-20
 - Scheffe test, 3-20
 - Tukey's HSD test, 3-18
 - Tukey's WSD test, 3-20
- power, 2-10
 - contrasts, 3-14
- principal components
 - eigenvalues, 11-19
- principal components analysis, 11-16
 - assumptions, 11-62
 - eigenvalue confidence interval, 11-63
 - factor scores, 11-35
 - matrix input, 11-91
 - rotations, 11-63
 - testing covariance matrix, 11-63
 - tests, 11-63
- Procrustean methods, 10-28
- projection, 11-100
- propensity scores, 9-26
- quantile-quantile plot, 2-19
- R
 - addtree, 10-92
 - CART, 10-95
 - F value, 2-10
 - factorial ANOVA, 4-58
 - indscal, 10-86
 - k-means clustering, 10-53
 - quantile plot, 2-22
 - spread and level, 2-18
 - syntax, 12-36
 - t value, 1-6
- R syntax
 - exploratory analyses, 1-15, 1-16
 - ONEWAY, 2-13
- R^2 , 2-12
- random effects, 5-5, 5-7
 - assumptions, 5-6
- randomized block, 4-2
 - coding, 4-35
- range distribution, 3-17

- ranks, 1-21
- regression, 6-1, 6-13
 - adjusted R^2 , 8-7
 - ANCOVA, 9-1
 - ANOVA, 8-19
 - examples, 8-20
 - assumptions, 6-20, 7-1
 - centering, 8-16
 - classification and tree, 10-60
 - constant variance assumption, 7-6
 - contrast coding, 8-29
 - covariance matrix, 13-7
 - dummy coding, 8-19
 - effects coding, 8-19
 - factorial design, 8-30
 - hypothesis test, 6-19
 - increment in R^2 , 7-21, 8-34
 - interactions, 8-14
 - intercept, 6-14
 - logistic regression, 9-16
 - modeling procedure, 8-38
 - multicollinearity, 8-8, 8-16
 - remedial measures, 8-14
 - multiple regression, 7-18
 - nonlinearity, 7-3
 - origin, 6-18
 - part correlation, 8-4
 - partial correlation, 8-5
 - polynomial, 7-3, 8-1
 - predicting average values, 6-21
 - predicting from new X values, 6-22
 - predicting individual points, 6-21
 - reliability, 13-31
 - repeated measures, 8-36
 - residuals, 6-14
 - sampling, 8-18
 - semi-part correlation, 8-4
 - sepred, 6-34
 - sets of variables, 7-21
 - slope, 6-14
 - source table, 6-17
 - standardized beta, 8-7
 - time series, 9-27
 - two sample t test, 7-15
 - variance decomposition, 6-16, 7-18
- regression theory
 - origin, 6-18
- regularizations, 11-55
- reliability, 13-11
 - correction for attenuation, 13-14
 - Cronbach's α , 13-15
 - multiple regression, 13-34
 - regression, 13-31
 - Spearman-Brown, 13-14
- repeated measures, 5-19
 - ANOVA, 12-1
 - assumptions, 5-28
 - compound symmetry, 5-29
 - Greenhouse and Geisser, 5-31
 - Huynhdt and Feldt, 5-31
 - sphericity, 5-29, 5-32
 - multilevel model, 5-44
 - regression, 8-36
 - structural model, 5-23
- replication, 3-11
- residual, 2-8
- residuals, 6-14
 - assumptions, 7-1
 - constant variance, 7-6
 - outliers, 7-7
- results section, 5-51
- ridge regression, 11-55
- robustness, 2-23
- rotation, 11-104

- multidimensional scaling, 10-24
- rule of the bulge, 7-3
- sampling distribution, 1-4
 - parameters, 1-4
- Scheffe test, 3-20
- SEM, 13-58
 - GFI, 13-74
 - reporting, 13-86
 - testing, 13-74
- semi-part correlation, 8-4
- separate variance t test, 1-19
- sequential approach, 8-16
- Shapley value, 10-73
- simple interaction effects, 5-46
- simple main effects, 5-46
- slope, 6-14
 - hypothesis test, 6-19
- source table
 - latin square, 4-37
 - one way ANOVA, 2-7
 - randomized block, 4-4
 - regression, 6-17
- Spearman's ρ , 6-13
- Spearman-Brown, 13-14
- spectral decomposition, 11-21, 11-105
- sphericity, 5-29, 5-32
- spread and level, 2-17
- SPSS
 - GLM, 5-27
 - k-means clustering, 10-51
 - mixed, 5-27
- SPSS syntax
 - ANOVA, 4-41
 - CORRELATION, 6-24
 - factor, 11-22
 - GLM, 4-47
 - GRAPH
 - errorbar, 1-13
 - histogram, 1-23
 - graphs, 4-18
 - MANOVA, 4-43
 - matrix input, 11-22, 11-91
 - missing value code, 6-31
 - ONEWAY, 2-13
 - post hoc tests, 3-26
 - REGRESSION, 6-24
 - zpp, 8-13
 - TTEST, 1-13
 - unfolding analysis, 11-89
 - UNIANOVA, 4-46
- standard deviation, 1-4
- standardized beta, 8-7
- stress, 10-14
- Structural Equation Modeling, 13-58
- structural model
 - factorial ANOVA, 4-1, 4-8
 - latin square, 4-7
 - one way ANOVA, 2-3
 - randomized block, 4-4
 - repeated measures, 5-23
- studentized range distribution, 3-18
- study tips, 1-2
- symmetric matrix, 11-102
- t distribution, 1-4
- t test
 - paired, 5-20
 - one sample, 1-7
 - two sample, 1-10, 7-15
 - Welch's test, 1-19
- time series, 9-27
- topic modeling, 11-71
- transformations, 1-21, 2-15, 2-24
 - ladder, 2-15
 - results sections, 2-24
 - rule of the bulge, 7-3
 - spread and level, 2-17
- transposition, 11-97

- Tukey's HSD test, 3-18
- Tukey's WSD test, 3-20
- two sample t test, 1-10
 - pooled error, 1-11
 - ranks, 1-21
 - regression, 7-15
 - Welch test, 1-19
- ultrametric condition, 10-41
- unequal sample size
 - experimental approach, 5-2
 - hierarchical approach, 5-2
 - unique approach, 5-2
- unfolding analysis, 11-1
 - model, 11-13
 - preference modeling, 11-15
- unique approach, 5-2
- variance, 1-3
- variance decomposition
 - factorial ANOVA, 4-1, 4-8
 - latin square, 4-7
 - one way ANOVA, 2-5
 - randomized block, 4-4
 - regression, 6-16, 7-18
- vector, 11-93
- Welch's t test, 1-19
- Wilcoxon test, 1-21
- wordcloud, 11-77
- XGBoost, 10-73